# Stain Remover Powder

Revision nr.4 Dated 2/28/2020 Printed on 11/6/2020
Page n. 1 / 10
Replaced revision:3 (Dated 10/10/2017)

# **Safety Data Sheet**

According to U.S.A. Federal Hazcom 2012

#### 1. Identification

#### 1.1. Product identifier

Lustro Italiano Stain Remover Powder Product name

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Stain removal on stone and concrete.

Identified Uses	Industrial	Professional	Consumer
ADHESIVE SYSTEM/TREATMENT FOR STONE SECTOR	_		_
SEGION	-	<b>~</b>	<u>-</u>
1.3. Details of the supplier of the safety data shee	t		
Name	Tenax Spa		
Full address	Via I Maggio, 226	Via I Maggio, 226	
District and Country	37020 Volargne		(VR)
-	Italy		
	Tel. +39 045 688759	93	
	Fax +39 045 686245	56	

e-mail address of the competent person

responsible for the Safety Data Sheet msds@tenax.it

Tenax Usa Product distribution by:

3300 Westinghouse Blvd, 28273 Charlotte NC, US Tel. 001 7045831173 -

Fax 001 7045833166 info@tenaxusa.com

1.4. Emergency telephone number

Infotrac For urgent inquiries refer to

US and Canada: 1-800-535-5053

Int'l: 1-352-323-3500 info@infotrac.net

## 2. Hazards identification

## 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200). The product thus requires a safety datasheet.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Classification and Hazard Statement Serious eye damage, category 1 Skin irritation, category 2

Causes serious eye damage. Causes skin irritation.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H318 Causes serious eye damage. H315 Causes skin irritation.

## Stain Remover Powder

Revision nr.4 Dated 2/28/2020 Printed on 11/6/2020 Page n. 2 / 10 Replaced revision:3 (Dated 10/10/2017)

#### 2. Hazards identification

Precautionary statements:

Prevention:

P280 Wear protective gloves / eye protection / face protection.

P264 Wash the hands thoroughly after handling.

Response:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER / doctor / . . . P310 P302+P352 IF ON SKIN: wash with plenty of water / . .

Take off contaminated clothing and wash it before reuse. P362+P364

Storage:

Disposal:

#### 2.2. Other hazards

Environmental classification as for Reg. (EU) 1272/2008 (CLP):

The product is classified as hazardous for environment pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

Classification and Hazard Statement

Harmful to aquatic life with long lasting effects. Hazardous to the aquatic environment, chronic toxicity, category 3

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

Prevention:

P273 Avoid release to the environment.

Response:

Storage:

Disposal:

P501 Dispose of contents / container according to applicable law.

Additional hazards

Contains: subtilisin

May produce an allergic reaction.

## 3. Composition/information on ingredients

## 3.2. Mixtures

Contains:

Identification x = Conc. % Classification:

**SODIUM CARBONATE** 

CAS 497-19-8  $80 \le x < 82$ Eye irritation, category 2 H319

EC 207-838-8 011-005-00-2 INDFX

Alcohols, C10-16, ethoxylated, sulfates, sodium salts

68585-34-2  $4.5 \le x < 5$ Eye irritation, category 2B H320, Skin irritation, category 2 H315 CAS

EC 500-223-8

INDEX

2-dodecoxyethyl hydrogen sulfate

9004-82-4  $3.5 \le x < 4$ Acute toxicity, category 4 H302, Serious eye damage, category 1 H318, CAS

Skin irritation, category 2 H315, Hazardous to the aquatic environment,

chronic toxicity, category 2 H411

EC 618-398-5

INDFX

**POTASSIUM CHLORIDE** 

Eye irritation, category 2 H319, Skin irritation, category 2 H315, CAS 7447-40-7  $2 \le x < 2.5$ 

Specific target organ toxicity - single exposure, category 3 H335

EC 231-211-8

INDEX

# **Stain Remover Powder**

Revision nr.4 Dated 2/28/2020 Printed on 11/6/2020 Page n. 3 / 10 Replaced revision:3 (Dated 10/10/2017)

#### 3. Composition/information on ingredients ..../>

Alcohols, C12-16, ethoxylated

CAS  $68551-12-2 \quad 2 \le x < 2.5$ 

Serious eye damage, category 1 H318, Skin irritation, category 2 H315, Hazardous to the aquatic environment, acute toxicity, category 1 H400 M=1

EC

INDEX

\* There is a batch to batch variation.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

#### 4. First-aid measures

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

## 5. Fire-fighting measures

## 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

## 5.2. Special hazards arising from the substance or mixture

### HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

## 5.3. Advice for firefighters

### **GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## 6. Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

## Stain Remover Powder

Revision nr.4
Dated 2/28/2020
Printed on 11/6/2020
Page n. 4 / 10
Replaced revision:3 (Dated 10/10/2017)

#### 6. Accidental release measures .../>>

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## 7. Handling and storage

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s)

Information not available

## 8. Exposure controls/personal protection

#### 8.1. Control parameters

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must comply with current regulations.

HAND PROTECTION

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (OSHA 29 CFR 1910.138). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing. EYE PROTECTION

Wear airtight protective goggles (OSHA 29 CFR 1910.133).

RESPIRATORY PROTECTION

If the operator is exposed to a carcinogenic or mutagenic agent, wear a facemask with 99.97% filter efficiency (NIOSH 42 CFR 84, OSHA 29 CFR 1910.134).

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Properties** Value Information

Appearance powder
Colour white
Odour characteristic

## Stain Remover Powder

Revision nr.4 Dated 2/28/2020 Printed on 11/6/2020 Page n. 5 / 10 Replaced revision:3 (Dated 10/10/2017)

#### 9. Physical and chemical properties .../>>

Odour threshold Not available Not available Melting point / freezing point Not available Initial boiling point Not applicable Boiling range Not available Not applicable Flash point **Evaporation Rate** Not available Not available Flammability of solids and gases Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Vapour pressure Not available Vapour density Not available Relative density 0.65 q/cc soluble in water Solubility Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Decomposition temperature Not available Viscosity Not available Explosive properties Not available Oxidising properties Not available

9.2. Other information

Information not available

## 10. Stability and reactivity

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

## 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

## 10.3. Possibility of hazardous reactions

The powders are potentially explosive when mixed with air.

#### 10.4. Conditions to avoid

Avoid environmental dust build-up.

### 10.5. Incompatible materials

Information not available

### 10.6. Hazardous decomposition products

Information not available

## 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

## 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

# Stain Remover Powder

Revision nr.4 Dated 2/28/2020 Printed on 11/6/2020 Page n. 6 / 10 Replaced revision:3 (Dated 10/10/2017)

### 11. Toxicological information .../>

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

SODIUM CARBONATE

 LD50 (Oral)
 4090 mg/kg Rat

 LD50 (Dermal)
 117 mg/kg Mouse

 LC50 (Inhalation)
 2.3 mg/l/2h Rat

2-dodecoxyethyl hydrogen sulfate

LD50 (Oral) 1600 mg/kg Ratto

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Contains:

subtilisin

May produce an allergic reaction.

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## 12. Ecological information

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

### 12.1. Toxicity

## Stain Remover Powder

Revision nr.4 Dated 2/28/2020 Printed on 11/6/2020 Page n. 7 / 10 Replaced revision:3 (Dated 10/10/2017)

#### 12. Ecological information .../>>

SODIUM CARBONATE

LC50 - for Fish 300 mg/l/96h Lepomis macrochirus

EC50 - for Crustacea 265 mg/l/48h Daphnia magna

Alcohols, C10-16, ethoxylated, sulfates, sodium salts

EC50 - for Crustacea 3430 mg/l/48h Ceriodaphnia dubia (Water flea)

2-dodecoxyethyl hydrogen sulfate

EC50 - for Crustacea 3.12 mg/l/48h Ceriodaphnia

12.2. Persistence and degradability

SODIUM CARBONATE

Solubility in water 1000 - 10000 mg/l

Degradability: information not available

POTASSIUM CHLORIDE

Solubility in water 355000 mg/l

Degradability: information not available

#### 12.3. Bioaccumulative potential

Information not available

### 12.4. Mobility in soil

Information not available

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

#### 12.6. Other adverse effects

Information not available

## 13. Disposal considerations

### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

#### 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 14.1. UN number

Not applicable

## 14.2. UN proper shipping name

Not applicable

# **Stain Remover Powder**

Revision nr.4 Dated 2/28/2020 Printed on 11/6/2020 Page n. 8 / 10 Replaced revision:3 (Dated 10/10/2017)

## 14. Transport information ...

### 14.3. Transport hazard class(es)

Not applicable

#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Not applicable

#### 14.6. Special precautions for user

Not applicable

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

## 15. Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal Regulations

TSCA:

All components are listed on TSCA Inventory.

Clean Air Act Section 112(b):

No component(s) listed.

Clean Air Act Section 602 Class I Substances:

No component(s) listed.

Clean Air Act Section 602 Class II Substances:

No component(s) listed.

Clean Water Act – Priority Pollutants:

No component(s) listed.

Clean Water Act – Toxic Pollutants:

No component(s) listed.

DEA List I Chemicals (Precursor Chemicals):

No component(s) listed.

DEA List II Chemicals (Essential Chemicals):

No component(s) listed.

EPA List of Lists:

313 Category Code:

No component(s) listed.

EPCRA 302 EHS TPQ:

No component(s) listed.

EPCRA 304 EHS RQ:

No component(s) listed.

CERCLA RQ:

No component(s) listed.

EPCRA 313 TRI:

No component(s) listed.

## Stain Remover Powder

Revision nr.4 Dated 2/28/2020 Printed on 11/6/2020 Page n. 9 / 10 Replaced revision:3 (Dated 10/10/2017)

## 15. Regulatory information .../>>

RCRA Code:

No component(s) listed.

CAA 112 (r) RMP TQ: No component(s) listed.

State Regulations

Massachussetts:

7757-82-6 SODIUM SULFATE ANHYDROUS

Minnesota:

No component(s) listed.

New Jersey:

No component(s) listed.

New York:

No component(s) listed.

Pennsylvania:

7757-82-6 SODIUM SULFATE ANHYDROUS

California:

No component(s) listed.

Proposition 65:

This product does not contain any substances know to the State of California to cause cancer, reproductive harm or birth defects.

International Regulations

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Candadian WHMIS

Information not available

## 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

H302Harmful if swallowed.H318Causes serious eye damage.H319Causes serious eye irritation.H320Cause eye irritation.H315Causes skin irritation.

**H335** May cause respiratory irritation. **H400** Very toxic to aquatic life.

**H411** Toxic to aquatic life with long lasting effects.

#### LEGEND:

- 313 CATEGORY CODE: Emergency Planning and Community Right-to Know Act Section 313 Category Code
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAA 112 ® RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112®)
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CERCLA RQ: Reportable Quantity (Comprehensive Environment Response, Compensation, and Liability Act)
- CLP: EC Regulation 1272/2008
- DEA: Drug Enforcement Administration
- EmS: Emergency Schedule
- EPA: US Environmental Protection Agency
- EPCRA: Emergency Planning and Community Right-to Know Act
- EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Section 302 Category Code)
- EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Section 304 Category Code)
- EPCRA 313 TRI: Toxics Release Inventory (Section 313 Category Code)

## Stain Remover Powder

Revision nr.4 Dated 2/28/2020 Printed on 11/6/2020 Page n. 10 / 10 Replaced revision:3 (Dated 10/10/2017)

#### 16. Other information .../>>

- GHS: Globally Harmonized System of classification and labeling of chemicals- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PEL: Predicted exposure level
- RCRA Code: Resource Conservation and Recovery Act Code
- REL: Recommended exposure limit
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TSCA: Toxic Substances Control Act
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- WHMIS: Workplace Hazardous Materials Information System.

#### GENERAL BIBLIOGRAPHY:

- GHS rev. 3
- The Merck Index. 10th Edition
- Handling Chemical Safety
- Niosh Registry of Toxic Effects of Chemical Substances
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy
- 6 NYCRR part 597
- Cal/OSHA website
- California Safe Drinking Water and Toxic Enforcement Act
- EPA website
- Hazard Comunication Standard (HCS 2012)
- IARC website
- List Of Lists EPA: Consolidated List of Chemicals Subject to EPCRA, CERCLA and Section 112® of the Clean Air Act
- Massachussetts 105 CMR Department of public health 670.000: "Right to Know"
- Minensota Chapter 5206 Departemnt Of Labor and Industry Hazardous Substances, Employee "Right to Know".
- New Jersey Worker and Community Right to know Act N.J.S.A.
- NTP. 2011. Report on Carcinogens, 12th Edition.
- OSHA website
- Pennsylvania, Hazardous Substance List, Chapter 323

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

#### CALCULATION METHODS FOR CLASSIFICATION

Product classification derives from criteria established by the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200), unless determined otherwise in Section 11 and 12. The data for evaluation of chemical-physical properties are reported in section 9.

### Changes to previous review:

The following sections were modified:

02/03/04/07/08/09/11/12/13/15/16.